

May 31, 2021

Wayne Wideman  
CiTi BOCES  
179 County Route 64  
Mexico, NY 13114

RE: Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Dear Wayne Wideman:


Enclosed are the analytical results for sample(s) received by the laboratory on May 17, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Elizabeth Harrison  
betty.harrison@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures

cc: John Raflowski, CiTi BOCES



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

---

### **Pace Analytical Services Long Island**

Virginia Certification # 460302

Delaware Certification # NY10478

Delaware Certification # NY10478

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 4</b>	<b>Lab ID: 70173465001</b>	Collected: 05/07/21 13:13	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.7</b>	ug/L	1.0	1		05/27/21 21:25	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 7</b>	<b>Lab ID: 70173465002</b>	Collected: 05/07/21 13:07	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>4.8</b>	ug/L	1.0	1		05/27/21 21:28	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 8</b>	<b>Lab ID: 70173465003</b>	Collected: 05/07/21 13:08	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.5</b>	ug/L	1.0	1		05/27/21 21:29	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 9</b>	<b>Lab ID: 70173465004</b>	Collected: 05/07/21 13:09	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.7</b>	ug/L	1.0	1		05/27/21 21:30	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 10</b>	<b>Lab ID: 70173465005</b>	Collected: 05/07/21 13:10	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.7</b>	ug/L	1.0	1		05/27/21 21:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 11</b>		<b>Lab ID: 70173465006</b>	Collected: 05/07/21 13:01	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>9.4</b>	ug/L	1.0	1		05/27/21 21:32	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 12</b>		<b>Lab ID: 70173465007</b>	Collected: 05/07/21 13:02	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.5</b>	ug/L	1.0	1		05/27/21 21:33	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 13</b>		<b>Lab ID: 70173465008</b>	Collected: 05/07/21 13:03	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.8</b>	ug/L	1.0	1		05/27/21 21:36	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 14</b>		<b>Lab ID: 70173465009</b>	Collected: 05/07/21 13:04	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.4</b>	ug/L	1.0	1		05/27/21 21:37	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 15</b>		<b>Lab ID: 70173465010</b>	Collected: 05/07/21 13:05	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>23.5</b>	ug/L	1.0	1		05/27/21 21:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 16	Lab ID: 70173465011	Collected: 05/07/21 13:16	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.8</b>	ug/L	1.0	1		05/27/21 21:39	7439-92-1	

Sample: CITI 17	Lab ID: 70173465012	Collected: 05/07/21 13:17	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.2</b>	ug/L	1.0	1		05/27/21 21:42	7439-92-1	

Sample: CITI 36	Lab ID: 70173465013	Collected: 05/07/21 07:52	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.0</b>	ug/L	1.0	1		05/27/21 21:43	7439-92-1	

Sample: CITI 37	Lab ID: 70173465014	Collected: 05/07/21 07:53	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.1</b>	ug/L	1.0	1		05/27/21 21:44	7439-92-1	

Sample: CITI 38	Lab ID: 70173465015	Collected: 05/07/21 07:55	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.2</b>	ug/L	1.0	1		05/27/21 21:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 39</b>	<b>Lab ID: 70173465016</b>	Collected: 05/07/21 07:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>129</b>	ug/L	1.0	1		05/27/21 21:48	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 40</b>	<b>Lab ID: 70173465017</b>	Collected: 05/07/21 07:57	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/27/21 21:49	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 41</b>	<b>Lab ID: 70173465018</b>	Collected: 05/07/21 07:49	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.1</b>	ug/L	1.0	1		05/27/21 21:50	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 42</b>	<b>Lab ID: 70173465019</b>	Collected: 05/07/21 07:50	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>1.5</b>	ug/L	1.0	1		05/27/21 21:51	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 44</b>	<b>Lab ID: 70173465020</b>	Collected: 05/07/21 07:11	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/27/21 21:52	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 45	Lab ID: 70173465021	Collected: 05/07/21 07:12	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 21:55	7439-92-1	

Sample: CITI 46	Lab ID: 70173465022	Collected: 05/07/21 07:13	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/27/21 21:59	7439-92-1	

Sample: CITI 48	Lab ID: 70173465023	Collected: 05/07/21 06:59	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:00	7439-92-1	

Sample: CITI 56	Lab ID: 70173465024	Collected: 05/07/21 06:30	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		05/27/21 22:02	7439-92-1	

Sample: CITI 57	Lab ID: 70173465025	Collected: 05/07/21 06:31	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		05/27/21 22:03	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 58	Lab ID: 70173465026	Collected: 05/07/21 06:25	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:04	7439-92-1	

Sample: CITI 59	Lab ID: 70173465027	Collected: 05/07/21 06:26	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:05	7439-92-1	

Sample: CITI 60	Lab ID: 70173465028	Collected: 05/07/21 06:32	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	37.2	ug/L	1.0	1		05/27/21 22:06	7439-92-1	

Sample: CITI 61	Lab ID: 70173465029	Collected: 05/07/21 06:33	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:07	7439-92-1	

Sample: CITI 62	Lab ID: 70173465030	Collected: 05/07/21 06:36	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:08	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 63	Lab ID: 70173465031	Collected: 05/07/21 06:37	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:09	7439-92-1	

Sample: CITI 64	Lab ID: 70173465032	Collected: 05/07/21 06:38	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:14	7439-92-1	

Sample: CITI 66	Lab ID: 70173465033	Collected: 05/07/21 06:39	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:15	7439-92-1	

Sample: CITI 68	Lab ID: 70173465034	Collected: 05/07/21 06:40	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		05/27/21 22:16	7439-92-1	

Sample: CITI 69	Lab ID: 70173465035	Collected: 05/07/21 06:43	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 70	Lab ID: 70173465036	Collected: 05/07/21 06:44	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:18	7439-92-1	

Sample: CITI 71	Lab ID: 70173465037	Collected: 05/07/21 06:24	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		05/27/21 22:19	7439-92-1	

Sample: CITI 72	Lab ID: 70173465038	Collected: 05/07/21 06:23	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		05/27/21 22:20	7439-92-1	

Sample: CITI 73	Lab ID: 70173465039	Collected: 05/07/21 06:22	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:21	7439-92-1	

Sample: CITI 74	Lab ID: 70173465040	Collected: 05/07/21 06:21	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 79	Lab ID: 70173465041	Collected: 05/07/21 07:19	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:26	7439-92-1	

Sample: CITI 80	Lab ID: 70173465042	Collected: 05/07/21 07:20	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:29	7439-92-1	

Sample: CITI 81	Lab ID: 70173465043	Collected: 05/07/21 07:16	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		05/27/21 22:30	7439-92-1	

Sample: CITI 82	Lab ID: 70173465044	Collected: 05/07/21 07:17	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		05/27/21 22:31	7439-92-1	

Sample: CITI 83	Lab ID: 70173465045	Collected: 05/07/21 07:18	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/27/21 22:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 84</b>		<b>Lab ID: 70173465046</b>	Collected: 05/07/21 07:24	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		05/27/21 22:35	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 85</b>		<b>Lab ID: 70173465047</b>	Collected: 05/07/21 07:25	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		05/27/21 22:36	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 86</b>		<b>Lab ID: 70173465048</b>	Collected: 05/07/21 07:26	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		05/27/21 22:37	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 87</b>		<b>Lab ID: 70173465049</b>	Collected: 05/07/21 07:30	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:38	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 88</b>		<b>Lab ID: 70173465050</b>	Collected: 05/07/21 07:31	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 89</b>		<b>Lab ID: 70173465051</b>	Collected: 05/07/21 07:32	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:40	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 90</b>		<b>Lab ID: 70173465052</b>	Collected: 05/07/21 07:33	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:43	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 91</b>		<b>Lab ID: 70173465053</b>	Collected: 05/07/21 07:34	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:44	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 92</b>		<b>Lab ID: 70173465054</b>	Collected: 05/07/21 07:35	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:47	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 93</b>		<b>Lab ID: 70173465055</b>	Collected: 05/07/21 08:46	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 22:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 94	Lab ID: 70173465056	Collected: 05/07/21 08:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:49	7439-92-1	

Sample: CITI 95	Lab ID: 70173465057	Collected: 05/07/21 08:55	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/27/21 22:50	7439-92-1	

Sample: CITI 96	Lab ID: 70173465058	Collected: 05/07/21 08:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:51	7439-92-1	

Sample: CITI 97	Lab ID: 70173465059	Collected: 05/07/21 08:57	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:52	7439-92-1	

Sample: CITI 98	Lab ID: 70173465060	Collected: 05/07/21 08:58	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 99	Lab ID: 70173465061	Collected: 05/07/21 08:59	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 22:56	7439-92-1	

Sample: CITI 100	Lab ID: 70173465062	Collected: 05/07/21 09:00	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:01	7439-92-1	

Sample: CITI 101	Lab ID: 70173465063	Collected: 05/07/21 09:02	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.3	ug/L	1.0	1		05/27/21 23:02	7439-92-1	

Sample: CITI 102	Lab ID: 70173465064	Collected: 05/07/21 09:03	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:03	7439-92-1	

Sample: CITI 103	Lab ID: 70173465065	Collected: 05/07/21 09:09	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 104		Lab ID: 70173465066	Collected: 05/07/21 09:10	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 23:05	7439-92-1	
Sample: CITI 105		Lab ID: 70173465067	Collected: 05/07/21 09:12	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 23:06	7439-92-1	
Sample: CITI 106		Lab ID: 70173465068	Collected: 05/07/21 09:13	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 23:07	7439-92-1	
Sample: CITI 107		Lab ID: 70173465069	Collected: 05/07/21 09:14	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 23:08	7439-92-1	
Sample: CITI 108		Lab ID: 70173465070	Collected: 05/07/21 09:15	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/27/21 23:11	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 109	Lab ID: 70173465071	Collected: 05/07/21 09:17	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:12	7439-92-1	

Sample: CITI 110	Lab ID: 70173465072	Collected: 05/07/21 09:19	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:15	7439-92-1	

Sample: CITI 111	Lab ID: 70173465073	Collected: 05/07/21 09:20	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:16	7439-92-1	

Sample: CITI 112	Lab ID: 70173465074	Collected: 05/07/21 09:21	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/27/21 23:17	7439-92-1	

Sample: CITI 113	Lab ID: 70173465075	Collected: 05/07/21 08:37	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 114	Lab ID: 70173465076	Collected: 05/07/21 08:40	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:19	7439-92-1	

Sample: CITI 115	Lab ID: 70173465077	Collected: 05/07/21 08:41	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.8	ug/L	1.0	1		05/27/21 23:20	7439-92-1	

Sample: CITI 116	Lab ID: 70173465078	Collected: 05/07/21 09:22	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:23	7439-92-1	

Sample: CITI 117	Lab ID: 70173465079	Collected: 05/07/21 09:23	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:24	7439-92-1	

Sample: CITI 118	Lab ID: 70173465080	Collected: 05/07/21 09:24	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 119</b>		<b>Lab ID: 70173465081</b>	Collected: 05/07/21 09:28	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.4</b>	ug/L	1.0	1		05/27/21 23:28	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 122</b>		<b>Lab ID: 70173465082</b>	Collected: 05/07/21 06:11	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/27/21 23:31	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 123</b>		<b>Lab ID: 70173465083</b>	Collected: 05/07/21 06:12	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/27/21 23:32	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 124</b>		<b>Lab ID: 70173465084</b>	Collected: 05/07/21 06:13	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>7.8</b>	ug/L	1.0	1		05/27/21 23:35	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 125</b>		<b>Lab ID: 70173465085</b>	Collected: 05/07/21 07:46	Received: 05/17/21 11:15	Matrix: Drinking Water			
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/27/21 23:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 126	Lab ID: 70173465086	Collected: 05/07/21 07:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:37	7439-92-1	

Sample: CITI 127	Lab ID: 70173465087	Collected: 05/07/21 06:07	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		05/27/21 23:38	7439-92-1	

Sample: CITI 132	Lab ID: 70173465088	Collected: 05/07/21 05:20	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:39	7439-92-1	

Sample: CITI 133	Lab ID: 70173465089	Collected: 05/07/21 05:21	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:40	7439-92-1	

Sample: CITI 140	Lab ID: 70173465090	Collected: 05/07/21 05:32	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:41	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 141	Lab ID: 70173465091	Collected: 05/07/21 05:33	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:42	7439-92-1	

Sample: CITI 142	Lab ID: 70173465092	Collected: 05/07/21 07:38	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:47	7439-92-1	

Sample: CITI 143	Lab ID: 70173465093	Collected: 05/07/21 07:39	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:48	7439-92-1	

Sample: CITI 146	Lab ID: 70173465094	Collected: 05/07/21 10:04	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		05/27/21 23:49	7439-92-1	

Sample: CITI 147	Lab ID: 70173465095	Collected: 05/07/21 09:46	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 148	Lab ID: 70173465096	Collected: 05/07/21 09:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:51	7439-92-1	
<b>Sample: CITI 150</b>	<b>Lab ID: 70173465097</b>	Collected: 05/07/21 09:42	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:52	7439-92-1	
<b>Sample: CITI 151</b>	<b>Lab ID: 70173465098</b>	Collected: 05/07/21 09:43	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:53	7439-92-1	
<b>Sample: CITI 153</b>	<b>Lab ID: 70173465099</b>	Collected: 05/07/21 09:54	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:54	7439-92-1	
<b>Sample: CITI 155</b>	<b>Lab ID: 70173465100</b>	Collected: 05/07/21 09:59	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/27/21 23:55	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 156	Lab ID: 70173465101	Collected: 05/07/21 10:00	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:00	7439-92-1	
<b>Sample: CITI 158</b>	<b>Lab ID: 70173465102</b>	Collected: 05/07/21 09:36	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:03	7439-92-1	
<b>Sample: CITI 159</b>	<b>Lab ID: 70173465103</b>	Collected: 05/07/21 09:37	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:04	7439-92-1	
<b>Sample: CITI 161</b>	<b>Lab ID: 70173465104</b>	Collected: 05/07/21 10:31	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	17.3	ug/L	1.0	1		05/28/21 00:05	7439-92-1	
<b>Sample: CITI 162</b>	<b>Lab ID: 70173465105</b>	Collected: 05/07/21 10:32	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	34.6	ug/L	1.0	1		05/28/21 00:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 163	Lab ID: 70173465106	Collected: 05/07/21 10:34	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.7	ug/L	1.0	1		05/28/21 00:07	7439-92-1	
<b>Sample: CITI 164</b>	<b>Lab ID: 70173465107</b>	Collected: 05/07/21 10:36	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.0	ug/L	1.0	1		05/28/21 00:08	7439-92-1	
<b>Sample: CITI 165</b>	<b>Lab ID: 70173465108</b>	Collected: 05/07/21 10:37	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.7	ug/L	1.0	1		05/28/21 00:11	7439-92-1	
<b>Sample: CITI 166</b>	<b>Lab ID: 70173465109</b>	Collected: 05/07/21 10:38	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		05/28/21 00:12	7439-92-1	
<b>Sample: CITI 167</b>	<b>Lab ID: 70173465110</b>	Collected: 05/07/21 10:44	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 168	Lab ID: 70173465111	Collected: 05/07/21 10:40	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		05/28/21 00:14	7439-92-1	

Sample: CITI 169	Lab ID: 70173465112	Collected: 05/07/21 10:48	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		05/28/21 00:17	7439-92-1	

Sample: CITI 170	Lab ID: 70173465113	Collected: 05/07/21 10:49	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.9	ug/L	1.0	1		05/28/21 00:18	7439-92-1	

Sample: CITI 171	Lab ID: 70173465114	Collected: 05/07/21 10:50	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	44.9	ug/L	1.0	1		05/28/21 00:19	7439-92-1	

Sample: CITI 172	Lab ID: 70173465115	Collected: 05/07/21 10:55	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 173	Lab ID: 70173465116	Collected: 05/07/21 10:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/28/21 00:23	7439-92-1	

Sample: CITI 174	Lab ID: 70173465117	Collected: 05/07/21 11:10	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:24	7439-92-1	

Sample: CITI 175	Lab ID: 70173465118	Collected: 05/07/21 11:11	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 00:25	7439-92-1	

Sample: CITI 178	Lab ID: 70173465119	Collected: 05/07/21 11:00	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	23.7	ug/L	1.0	1		05/28/21 00:26	7439-92-1	

Sample: CITI 179	Lab ID: 70173465120	Collected: 05/07/21 11:01	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.2	ug/L	1.0	1		05/28/21 00:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 180	Lab ID: 70173465121	Collected: 05/07/21 11:27	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	15.1	ug/L	1.0	1		05/28/21 00:30	7439-92-1	

Sample: CITI 181	Lab ID: 70173465122	Collected: 05/07/21 11:26	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.3	ug/L	1.0	1		05/28/21 00:35	7439-92-1	

Sample: CITI 182	Lab ID: 70173465123	Collected: 05/07/21 11:24	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		05/28/21 00:36	7439-92-1	

Sample: CITI 184	Lab ID: 70173465124	Collected: 05/07/21 11:20	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		05/28/21 00:37	7439-92-1	

Sample: CITI 185	Lab ID: 70173465125	Collected: 05/07/21 11:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		05/28/21 00:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 186	Lab ID: 70173465126	Collected: 05/07/21 11:49	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.3</b>	ug/L	1.0	1		05/28/21 00:39	7439-92-1	

Sample: CITI 187	Lab ID: 70173465127	Collected: 05/07/21 11:36	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.5</b>	ug/L	1.0	1		05/28/21 00:40	7439-92-1	

Sample: CITI 189	Lab ID: 70173465128	Collected: 05/07/21 11:34	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.2</b>	ug/L	1.0	1		05/28/21 00:41	7439-92-1	

Sample: CITI 190	Lab ID: 70173465129	Collected: 05/07/21 11:30	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>1.8</b>	ug/L	1.0	1		05/28/21 00:42	7439-92-1	

Sample: CITI 191	Lab ID: 70173465130	Collected: 05/07/21 11:29	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.5</b>	ug/L	1.0	1		05/28/21 08:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 193	Lab ID: 70173465131	Collected: 05/07/21 11:53	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		05/28/21 08:51	7439-92-1	

Sample: CITI 194	Lab ID: 70173465132	Collected: 05/07/21 11:52	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.7	ug/L	1.0	1		05/28/21 08:54	7439-92-1	

Sample: CITI 195	Lab ID: 70173465133	Collected: 05/07/21 11:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	15.1	ug/L	1.0	1		05/28/21 08:55	7439-92-1	

Sample: CITI 200	Lab ID: 70173465134	Collected: 05/07/21 09:34	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 08:56	7439-92-1	

Sample: CITI 201	Lab ID: 70173465135	Collected: 05/07/21 09:45	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 08:57	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 202	Lab ID: 70173465136	Collected: 05/07/21 09:52	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 08:58	7439-92-1	

Sample: CITI 203	Lab ID: 70173465137	Collected: 05/07/21 10:01	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/28/21 08:59	7439-92-1	

Sample: CITI 204	Lab ID: 70173465138	Collected: 05/07/21 05:34	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:02	7439-92-1	

Sample: CITI 205	Lab ID: 70173465139	Collected: 05/07/21 05:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:03	7439-92-1	

Sample: CITI 206	Lab ID: 70173465140	Collected: 05/07/21 08:00	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 207	Lab ID: 70173465141	Collected: 05/07/21 08:11	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/28/21 09:07	7439-92-1	

Sample: CITI 208	Lab ID: 70173465142	Collected: 05/07/21 08:26	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:10	7439-92-1	

Sample: CITI 209	Lab ID: 70173465143	Collected: 05/07/21 12:24	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:11	7439-92-1	

Sample: CITI 210	Lab ID: 70173465144	Collected: 05/07/21 12:25	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:14	7439-92-1	

Sample: CITI 211	Lab ID: 70173465145	Collected: 05/07/21 12:26	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 212	Lab ID: 70173465146	Collected: 05/07/21 12:27	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.1</b>	ug/L	1.0	1		05/28/21 09:16	7439-92-1	

Sample: CITI 214	Lab ID: 70173465147	Collected: 05/07/21 13:35	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.5</b>	ug/L	1.0	1		05/28/21 09:17	7439-92-1	

Sample: CITI 215	Lab ID: 70173465148	Collected: 05/07/21 13:36	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>21.9</b>	ug/L	1.0	1		05/28/21 09:18	7439-92-1	

Sample: CITI 216	Lab ID: 70173465149	Collected: 05/07/21 05:30	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/28/21 09:19	7439-92-1	

Sample: CITI 217	Lab ID: 70173465150	Collected: 05/07/21 05:31	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/28/21 09:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 218	Lab ID: 70173465151	Collected: 05/07/21 05:48	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:21	7439-92-1	

Sample: CITI 219	Lab ID: 70173465152	Collected: 05/07/21 05:49	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:26	7439-92-1	

Sample: CITI 220	Lab ID: 70173465153	Collected: 05/07/21 05:54	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:27	7439-92-1	

Sample: CITI 221	Lab ID: 70173465154	Collected: 05/07/21 05:55	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:28	7439-92-1	

Sample: CITI 222	Lab ID: 70173465155	Collected: 05/07/21 05:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:29	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 223	Lab ID: 70173465156	Collected: 05/07/21 06:01	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		05/28/21 09:30	7439-92-1	

Sample: CITI 224	Lab ID: 70173465157	Collected: 05/07/21 06:02	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/28/21 09:31	7439-92-1	

Sample: CITI 225	Lab ID: 70173465158	Collected: 05/07/21 06:05	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:32	7439-92-1	

Sample: CITI 226	Lab ID: 70173465159	Collected: 05/07/21 06:15	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:33	7439-92-1	

Sample: CITI 227	Lab ID: 70173465160	Collected: 05/07/21 06:16	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 228	Lab ID: 70173465161	Collected: 05/07/21 06:47	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:39	7439-92-1	

Sample: CITI 229	Lab ID: 70173465162	Collected: 05/07/21 06:52	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:42	7439-92-1	

Sample: CITI 230	Lab ID: 70173465163	Collected: 05/07/21 06:53	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		05/28/21 09:43	7439-92-1	

Sample: CITI 231	Lab ID: 70173465164	Collected: 05/07/21 06:54	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:44	7439-92-1	

Sample: CITI 232	Lab ID: 70173465165	Collected: 05/07/21 06:55	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		05/28/21 09:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**ANALYTICAL RESULTS**

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 233</b>	<b>Lab ID: 70173465166</b>	Collected: 05/07/21 06:56	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.6	ug/L	1.0	1		05/28/21 09:46	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 234</b>	<b>Lab ID: 70173465167</b>	Collected: 05/07/21 06:57	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:47	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 235</b>	<b>Lab ID: 70173465168</b>	Collected: 05/07/21 07:04	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:50	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 236</b>	<b>Lab ID: 70173465169</b>	Collected: 05/07/21 07:07	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:51	7439-92-1	

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

<b>Sample: CITI 237</b>	<b>Lab ID: 70173465170</b>	Collected: 05/07/21 07:08	Received: 05/17/21 11:15	Matrix: Drinking Water				
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:52	7439-92-1	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Sample: CITI 240	Lab ID: 70173465171	Collected: 05/07/21 07:20	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:53	7439-92-1	

Sample: CITI 241	Lab ID: 70173465172	Collected: 05/07/21 07:27	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:56	7439-92-1	

Sample: CITI 242	Lab ID: 70173465173	Collected: 05/07/21 07:41	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:57	7439-92-1	

Sample: CITI 243	Lab ID: 70173465174	Collected: 05/07/21 08:02	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:58	7439-92-1	

Sample: CITI 244	Lab ID: 70173465175	Collected: 05/07/21 08:03	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 09:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 245	Lab ID: 70173465176	Collected: 05/07/21 08:10	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:02	7439-92-1	

Sample: CITI 246	Lab ID: 70173465177	Collected: 05/07/21 08:11	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:03	7439-92-1	

Sample: CITI 247	Lab ID: 70173465178	Collected: 05/07/21 08:15	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:04	7439-92-1	

Sample: CITI 248	Lab ID: 70173465179	Collected: 05/07/21 08:16	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:05	7439-92-1	

Sample: CITI 249	Lab ID: 70173465180	Collected: 05/07/21 08:22	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		05/28/21 10:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 250	Lab ID: 70173465181	Collected: 05/07/21 08:23	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/28/21 10:09	7439-92-1	

Sample: CITI 251	Lab ID: 70173465182	Collected: 05/07/21 08:24	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:14	7439-92-1	

Sample: CITI 252	Lab ID: 70173465183	Collected: 05/07/21 08:27	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:15	7439-92-1	

Sample: CITI 253	Lab ID: 70173465184	Collected: 05/07/21 08:28	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:16	7439-92-1	

Sample: CITI 254	Lab ID: 70173465185	Collected: 05/07/21 08:33	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 255		Lab ID: 70173465186	Collected: 05/07/21 10:09	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.1	ug/L	1.0	1		05/28/21 10:18	7439-92-1	
Sample: CITI 256		Lab ID: 70173465187	Collected: 05/07/21 10:10	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/28/21 10:19	7439-92-1	
Sample: CITI 257		Lab ID: 70173465188	Collected: 05/07/21 10:11	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		05/28/21 10:20	7439-92-1	
Sample: CITI 258		Lab ID: 70173465189	Collected: 05/07/21 10:12	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/28/21 10:21	7439-92-1	
Sample: CITI 259		Lab ID: 70173465190	Collected: 05/07/21 10:13	Received: 05/17/21 11:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/28/21 10:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 261	Lab ID: 70173465191	Collected: 05/07/21 10:15	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.4	ug/L	1.0	1		05/28/21 10:23	7439-92-1	
<b>Sample: CITI 262</b>	<b>Lab ID: 70173465192</b>	Collected: 05/07/21 10:16	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.7	ug/L	1.0	1		05/28/21 10:28	7439-92-1	
<b>Sample: CITI 263</b>	<b>Lab ID: 70173465193</b>	Collected: 05/07/21 10:17	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:29	7439-92-1	
<b>Sample: CITI 264</b>	<b>Lab ID: 70173465194</b>	Collected: 05/07/21 10:18	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:30	7439-92-1	
<b>Sample: CITI 265</b>	<b>Lab ID: 70173465195</b>	Collected: 05/07/21 10:19	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/28/21 10:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 266	Lab ID: 70173465196	Collected: 05/07/21 10:21	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:32	7439-92-1	
<b>Sample: CITI 267</b>	<b>Lab ID: 70173465197</b>	Collected: 05/07/21 10:22	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:33	7439-92-1	
<b>Sample: CITI 269</b>	<b>Lab ID: 70173465198</b>	Collected: 05/07/21 11:07	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.3	ug/L	1.0	1		05/28/21 10:34	7439-92-1	
<b>Sample: CITI 270</b>	<b>Lab ID: 70173465199</b>	Collected: 05/07/21 11:14	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/28/21 10:35	7439-92-1	
<b>Sample: CITI 271</b>	<b>Lab ID: 70173465200</b>	Collected: 05/07/21 11:31	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 272	Lab ID: 70173465201	Collected: 05/07/21 11:40	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.7</b>	ug/L	1.0	1		05/28/21 10:40	7439-92-1	

Sample: CITI 273	Lab ID: 70173465202	Collected: 05/07/21 11:41	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>15.8</b>	ug/L	1.0	1		05/28/21 10:43	7439-92-1	

Sample: CITI 274	Lab ID: 70173465203	Collected: 05/07/21 11:58	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.9</b>	ug/L	1.0	1		05/28/21 10:44	7439-92-1	

Sample: CITI 275	Lab ID: 70173465204	Collected: 05/07/21 13:54	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.9</b>	ug/L	1.0	1		05/28/21 10:45	7439-92-1	

Sample: CITI 276	Lab ID: 70173465205	Collected: 05/07/21 13:57	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/28/21 10:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 277	Lab ID: 70173465206	Collected: 05/07/21 13:58	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:49	7439-92-1	
<b>Sample: CITI 278</b>	<b>Lab ID: 70173465207</b>	Collected: 05/07/21 14:00	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.0	ug/L	1.0	1		05/28/21 10:50	7439-92-1	
<b>Sample: CITI 279</b>	<b>Lab ID: 70173465208</b>	Collected: 05/07/21 14:01	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:51	7439-92-1	
<b>Sample: CITI 280</b>	<b>Lab ID: 70173465209</b>	Collected: 05/07/21 14:03	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:52	7439-92-1	
<b>Sample: CITI 281</b>	<b>Lab ID: 70173465210</b>	Collected: 05/07/21 14:04	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/28/21 10:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Sample: CITI 282	Lab ID: 70173465211	Collected: 05/07/21 11:22	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/28/21 10:54	7439-92-1	

Sample: CITI 283	Lab ID: 70173465212	Collected: 05/07/21 11:44	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		05/28/21 10:57	7439-92-1	

Sample: CITI 192	Lab ID: 70173465213	Collected: 05/07/21 11:29	Received: 05/17/21 11:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.7	ug/L	1.0	1		05/28/21 10:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210882	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70173465001, 70173465002, 70173465003, 70173465004, 70173465005, 70173465006, 70173465007, 70173465008, 70173465009, 70173465010, 70173465011, 70173465012, 70173465013, 70173465014, 70173465015, 70173465016, 70173465017, 70173465018, 70173465019, 70173465020		

METHOD BLANK:	1055282	Matrix:	Water
Associated Lab Samples:	70173465001, 70173465002, 70173465003, 70173465004, 70173465005, 70173465006, 70173465007, 70173465008, 70173465009, 70173465010, 70173465011, 70173465012, 70173465013, 70173465014, 70173465015, 70173465016, 70173465017, 70173465018, 70173465019, 70173465020		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 21:21	

LABORATORY CONTROL SAMPLE:	1055283					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.6	97	85-115	

MATRIX SPIKE SAMPLE:	1055285						
Parameter	Units	70173465001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.7	50	58.4	112	70-130	

MATRIX SPIKE SAMPLE:	1055287						
Parameter	Units	70173465011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.8	50	59.5	111	70-130	

SAMPLE DUPLICATE:	1055284					
Parameter	Units	70173465001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	2.7	2.6	2		

SAMPLE DUPLICATE:	1055286					
Parameter	Units	70173465011 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	3.8	3.8	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

QC Batch:	210884	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70173465021, 70173465022, 70173465023, 70173465024, 70173465025, 70173465026, 70173465027, 70173465028, 70173465029, 70173465030, 70173465031, 70173465032, 70173465033, 70173465034, 70173465035, 70173465036, 70173465037, 70173465038, 70173465039, 70173465040		

METHOD BLANK:	1055288	Matrix:	Water
Associated Lab Samples:	70173465021, 70173465022, 70173465023, 70173465024, 70173465025, 70173465026, 70173465027, 70173465028, 70173465029, 70173465030, 70173465031, 70173465032, 70173465033, 70173465034, 70173465035, 70173465036, 70173465037, 70173465038, 70173465039, 70173465040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 21:53	

LABORATORY CONTROL SAMPLE:	1055289					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.4	97	85-115	

MATRIX SPIKE SAMPLE:	1055291						
Parameter	Units	70173465021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	57.0	113	70-130	

MATRIX SPIKE SAMPLE:	1055293						
Parameter	Units	70173465031 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	56.8	113	70-130	

SAMPLE DUPLICATE:	1055290					
Parameter	Units	70173465021 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

SAMPLE DUPLICATE:	1055292					
Parameter	Units	70173465031 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210885	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70173465041, 70173465042, 70173465043, 70173465044, 70173465045, 70173465046, 70173465047, 70173465048, 70173465049, 70173465050, 70173465051, 70173465052, 70173465053, 70173465054, 70173465055, 70173465056, 70173465057, 70173465058, 70173465059, 70173465060		

METHOD BLANK:	1055295	Matrix:	Water
Associated Lab Samples:	70173465041, 70173465042, 70173465043, 70173465044, 70173465045, 70173465046, 70173465047, 70173465048, 70173465049, 70173465050, 70173465051, 70173465052, 70173465053, 70173465054, 70173465055, 70173465056, 70173465057, 70173465058, 70173465059, 70173465060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 22:25	

LABORATORY CONTROL SAMPLE:	1055296					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.5	97	85-115	

MATRIX SPIKE SAMPLE:	1055298						
Parameter	Units	70173465041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	56.8	113	70-130	

MATRIX SPIKE SAMPLE:	1055300						
Parameter	Units	70173465051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.6	110	70-130	

SAMPLE DUPLICATE:	1055297					
Parameter	Units	70173465041 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

SAMPLE DUPLICATE:	1055299					
Parameter	Units	70173465051 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210886	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465061, 70173465062, 70173465063, 70173465064, 70173465065, 70173465066, 70173465067, 70173465068, 70173465069, 70173465070, 70173465071, 70173465072, 70173465073, 70173465074, 70173465075, 70173465076, 70173465077, 70173465078, 70173465079, 70173465080

METHOD BLANK: 1055302 Matrix: Water

Associated Lab Samples: 70173465061, 70173465062, 70173465063, 70173465064, 70173465065, 70173465066, 70173465067, 70173465068, 70173465069, 70173465070, 70173465071, 70173465072, 70173465073, 70173465074, 70173465075, 70173465076, 70173465077, 70173465078, 70173465079, 70173465080

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 22:54	

LABORATORY CONTROL SAMPLE: 1055303

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.9	96	85-115	

MATRIX SPIKE SAMPLE: 1055305

Parameter	Units	70173465061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	53.9	107	70-130	

MATRIX SPIKE SAMPLE: 1055307

Parameter	Units	70173465071 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	58.0	115	70-130	

SAMPLE DUPLICATE: 1055304

Parameter	Units	70173465061 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1055306

Parameter	Units	70173465071 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210887	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465081, 70173465082, 70173465083, 70173465084, 70173465085, 70173465086, 70173465087, 70173465088, 70173465089, 70173465090, 70173465091, 70173465092, 70173465093, 70173465094, 70173465095, 70173465096, 70173465097, 70173465098, 70173465099, 70173465100

METHOD BLANK: 1055308 Matrix: Water  
Associated Lab Samples: 70173465081, 70173465082, 70173465083, 70173465084, 70173465085, 70173465086, 70173465087, 70173465088, 70173465089, 70173465090, 70173465091, 70173465092, 70173465093, 70173465094, 70173465095, 70173465096, 70173465097, 70173465098, 70173465099, 70173465100

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 23:26	

LABORATORY CONTROL SAMPLE: 1055309

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.1	96	85-115	

MATRIX SPIKE SAMPLE: 1055311

Parameter	Units	70173465081 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	4.4	50	60.4	112	70-130	

MATRIX SPIKE SAMPLE: 1055313

Parameter	Units	70173465091 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.4	110	70-130	

SAMPLE DUPLICATE: 1055310

Parameter	Units	70173465081 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4.4	4.3	1	

SAMPLE DUPLICATE: 1055312

Parameter	Units	70173465091 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210888	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465101, 70173465102, 70173465103, 70173465104, 70173465105, 70173465106, 70173465107, 70173465108, 70173465109, 70173465110, 70173465111, 70173465112, 70173465113, 70173465114, 70173465115, 70173465116, 70173465117, 70173465118, 70173465119, 70173465120

METHOD BLANK: 1055314 Matrix: Water  
Associated Lab Samples: 70173465101, 70173465102, 70173465103, 70173465104, 70173465105, 70173465106, 70173465107, 70173465108, 70173465109, 70173465110, 70173465111, 70173465112, 70173465113, 70173465114, 70173465115, 70173465116, 70173465117, 70173465118, 70173465119, 70173465120

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/27/21 23:56	

LABORATORY CONTROL SAMPLE: 1055315

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.3	97	85-115	

MATRIX SPIKE SAMPLE: 1055317

Parameter	Units	70173465101 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.5	110	70-130	

MATRIX SPIKE SAMPLE: 1055319

Parameter	Units	70173465111 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	50	58.2	114	70-130	

SAMPLE DUPLICATE: 1055316

Parameter	Units	70173465101 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1055318

Parameter	Units	70173465111 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.3	1.3	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210889	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70173465121, 70173465122, 70173465123, 70173465124, 70173465125, 70173465126, 70173465127, 70173465128, 70173465129, 70173465130, 70173465131, 70173465132, 70173465133, 70173465134, 70173465135, 70173465136, 70173465137, 70173465138, 70173465139, 70173465140		

METHOD BLANK:	1055320	Matrix:	Water
Associated Lab Samples:	70173465121, 70173465122, 70173465123, 70173465124, 70173465125, 70173465126, 70173465127, 70173465128, 70173465129, 70173465130, 70173465131, 70173465132, 70173465133, 70173465134, 70173465135, 70173465136, 70173465137, 70173465138, 70173465139, 70173465140		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/28/21 00:28	

LABORATORY CONTROL SAMPLE:	1055321					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.3	97	85-115	

MATRIX SPIKE SAMPLE:	1055323						
Parameter	Units	70173465121 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	15.1	50	72.2	114	70-130	

MATRIX SPIKE SAMPLE:	1055325						
Parameter	Units	70173465131 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.1	50	57.0	110	70-130	

SAMPLE DUPLICATE:	1055322					
Parameter	Units	70173465121 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	15.1	14.9	1		

SAMPLE DUPLICATE:	1055324					
Parameter	Units	70173465131 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	2.1	2.1	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210890	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70173465141, 70173465142, 70173465143, 70173465144, 70173465145, 70173465146, 70173465147, 70173465148, 70173465149, 70173465150, 70173465151, 70173465152, 70173465153, 70173465154, 70173465155, 70173465156, 70173465157, 70173465158, 70173465159, 70173465160		

METHOD BLANK:	1055326	Matrix:	Water
Associated Lab Samples:	70173465141, 70173465142, 70173465143, 70173465144, 70173465145, 70173465146, 70173465147, 70173465148, 70173465149, 70173465150, 70173465151, 70173465152, 70173465153, 70173465154, 70173465155, 70173465156, 70173465157, 70173465158, 70173465159, 70173465160		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/28/21 09:05	

LABORATORY CONTROL SAMPLE:	1055327					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.5	97	85-115	

MATRIX SPIKE SAMPLE:	1055329						
Parameter	Units	70173465141 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.7	50	56.3	109	70-130	

MATRIX SPIKE SAMPLE:	1055331						
Parameter	Units	70173465151 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.2	109	70-130	

SAMPLE DUPLICATE:	1055328					
Parameter	Units	70173465141 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	1.7	1.6	2		

SAMPLE DUPLICATE:	1055330					
Parameter	Units	70173465151 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CIT1 5/07  
Pace Project No.: 70173465

QC Batch:	210892	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465161, 70173465162, 70173465163, 70173465164, 70173465165, 70173465166, 70173465167, 70173465168, 70173465169, 70173465170, 70173465171, 70173465172, 70173465173, 70173465174, 70173465175, 70173465176, 70173465177, 70173465178, 70173465179, 70173465180

METHOD BLANK: 1055333 Matrix: Water  
Associated Lab Samples: 70173465161, 70173465162, 70173465163, 70173465164, 70173465165, 70173465166, 70173465167, 70173465168, 70173465169, 70173465170, 70173465171, 70173465172, 70173465173, 70173465174, 70173465175, 70173465176, 70173465177, 70173465178, 70173465179, 70173465180

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/28/21 09:35	

LABORATORY CONTROL SAMPLE: 1055334

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.3	97	85-115	

MATRIX SPIKE SAMPLE: 1055336

Parameter	Units	70173465161 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	54.5	107	70-130	

MATRIX SPIKE SAMPLE: 1055338

Parameter	Units	70173465171 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.6	111	70-130	

SAMPLE DUPLICATE: 1055335

Parameter	Units	70173465161 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1055337

Parameter	Units	70173465171 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210893	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465181, 70173465182, 70173465183, 70173465184, 70173465185, 70173465186, 70173465187, 70173465188, 70173465189, 70173465190, 70173465191, 70173465192, 70173465193, 70173465194, 70173465195, 70173465196, 70173465197, 70173465198, 70173465199, 70173465200

METHOD BLANK: 1055339 Matrix: Water

Associated Lab Samples: 70173465181, 70173465182, 70173465183, 70173465184, 70173465185, 70173465186, 70173465187, 70173465188, 70173465189, 70173465190, 70173465191, 70173465192, 70173465193, 70173465194, 70173465195, 70173465196, 70173465197, 70173465198, 70173465199, 70173465200

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/28/21 10:07	

LABORATORY CONTROL SAMPLE: 1055340

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.2	96	85-115	

MATRIX SPIKE SAMPLE: 1055342

Parameter	Units	70173465181 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	55.2	108	70-130	

MATRIX SPIKE SAMPLE: 1055344

Parameter	Units	70173465191 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	8.4	50	62.1	107	70-130	

SAMPLE DUPLICATE: 1055341

Parameter	Units	70173465181 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.1	1	

SAMPLE DUPLICATE: 1055343

Parameter	Units	70173465191 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	8.4	8.7	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

QC Batch:	210894	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70173465201, 70173465202, 70173465203, 70173465204, 70173465205, 70173465206, 70173465207, 70173465208, 70173465209, 70173465210, 70173465211, 70173465212, 70173465213

METHOD BLANK: 1055345 Matrix: Water  
Associated Lab Samples: 70173465201, 70173465202, 70173465203, 70173465204, 70173465205, 70173465206, 70173465207, 70173465208, 70173465209, 70173465210, 70173465211, 70173465212, 70173465213

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/28/21 10:38	

LABORATORY CONTROL SAMPLE: 1055346

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.4	95	85-115	

MATRIX SPIKE SAMPLE: 1055348

Parameter	Units	70173465201 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.7	50	58.0	111	70-130	

MATRIX SPIKE SAMPLE: 1055350

Parameter	Units	70173465211 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	55.5	109	70-130	

SAMPLE DUPLICATE: 1055347

Parameter	Units	70173465201 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.7	2.6	2	

SAMPLE DUPLICATE: 1055349

Parameter	Units	70173465211 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.1	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### WORKORDER QUALIFIERS

WO: 70173465

[1] Sample "Citi 192" was received but not listed on the chain. Sample was logged for analysis

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70173465001	CITI 4	EPA 200.8	210882		
70173465002	CITI 7	EPA 200.8	210882		
70173465003	CITI 8	EPA 200.8	210882		
70173465004	CITI 9	EPA 200.8	210882		
70173465005	CITI 10	EPA 200.8	210882		
70173465006	CITI 11	EPA 200.8	210882		
70173465007	CITI 12	EPA 200.8	210882		
70173465008	CITI 13	EPA 200.8	210882		
70173465009	CITI 14	EPA 200.8	210882		
70173465010	CITI 15	EPA 200.8	210882		
70173465011	CITI 16	EPA 200.8	210882		
70173465012	CITI 17	EPA 200.8	210882		
70173465013	CITI 36	EPA 200.8	210882		
70173465014	CITI 37	EPA 200.8	210882		
70173465015	CITI 38	EPA 200.8	210882		
70173465016	CITI 39	EPA 200.8	210882		
70173465017	CITI 40	EPA 200.8	210882		
70173465018	CITI 41	EPA 200.8	210882		
70173465019	CITI 42	EPA 200.8	210882		
70173465020	CITI 44	EPA 200.8	210882		
70173465021	CITI 45	EPA 200.8	210884		
70173465022	CITI 46	EPA 200.8	210884		
70173465023	CITI 48	EPA 200.8	210884		
70173465024	CITI 56	EPA 200.8	210884		
70173465025	CITI 57	EPA 200.8	210884		
70173465026	CITI 58	EPA 200.8	210884		
70173465027	CITI 59	EPA 200.8	210884		
70173465028	CITI 60	EPA 200.8	210884		
70173465029	CITI 61	EPA 200.8	210884		
70173465030	CITI 62	EPA 200.8	210884		
70173465031	CITI 63	EPA 200.8	210884		
70173465032	CITI 64	EPA 200.8	210884		
70173465033	CITI 66	EPA 200.8	210884		
70173465034	CITI 68	EPA 200.8	210884		
70173465035	CITI 69	EPA 200.8	210884		
70173465036	CITI 70	EPA 200.8	210884		
70173465037	CITI 71	EPA 200.8	210884		
70173465038	CITI 72	EPA 200.8	210884		
70173465039	CITI 73	EPA 200.8	210884		
70173465040	CITI 74	EPA 200.8	210884		
70173465041	CITI 79	EPA 200.8	210885		
70173465042	CITI 80	EPA 200.8	210885		
70173465043	CITI 81	EPA 200.8	210885		
70173465044	CITI 82	EPA 200.8	210885		
70173465045	CITI 83	EPA 200.8	210885		
70173465046	CITI 84	EPA 200.8	210885		
70173465047	CITI 85	EPA 200.8	210885		
70173465048	CITI 86	EPA 200.8	210885		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70173465049	CITI 87	EPA 200.8	210885		
70173465050	CITI 88	EPA 200.8	210885		
70173465051	CITI 89	EPA 200.8	210885		
70173465052	CITI 90	EPA 200.8	210885		
70173465053	CITI 91	EPA 200.8	210885		
70173465054	CITI 92	EPA 200.8	210885		
70173465055	CITI 93	EPA 200.8	210885		
70173465056	CITI 94	EPA 200.8	210885		
70173465057	CITI 95	EPA 200.8	210885		
70173465058	CITI 96	EPA 200.8	210885		
70173465059	CITI 97	EPA 200.8	210885		
70173465060	CITI 98	EPA 200.8	210885		
70173465061	CITI 99	EPA 200.8	210886		
70173465062	CITI 100	EPA 200.8	210886		
70173465063	CITI 101	EPA 200.8	210886		
70173465064	CITI 102	EPA 200.8	210886		
70173465065	CITI 103	EPA 200.8	210886		
70173465066	CITI 104	EPA 200.8	210886		
70173465067	CITI 105	EPA 200.8	210886		
70173465068	CITI 106	EPA 200.8	210886		
70173465069	CITI 107	EPA 200.8	210886		
70173465070	CITI 108	EPA 200.8	210886		
70173465071	CITI 109	EPA 200.8	210886		
70173465072	CITI 110	EPA 200.8	210886		
70173465073	CITI 111	EPA 200.8	210886		
70173465074	CITI 112	EPA 200.8	210886		
70173465075	CITI 113	EPA 200.8	210886		
70173465076	CITI 114	EPA 200.8	210886		
70173465077	CITI 115	EPA 200.8	210886		
70173465078	CITI 116	EPA 200.8	210886		
70173465079	CITI 117	EPA 200.8	210886		
70173465080	CITI 118	EPA 200.8	210886		
70173465081	CITI 119	EPA 200.8	210887		
70173465082	CITI 122	EPA 200.8	210887		
70173465083	CITI 123	EPA 200.8	210887		
70173465084	CITI 124	EPA 200.8	210887		
70173465085	CITI 125	EPA 200.8	210887		
70173465086	CITI 126	EPA 200.8	210887		
70173465087	CITI 127	EPA 200.8	210887		
70173465088	CITI 132	EPA 200.8	210887		
70173465089	CITI 133	EPA 200.8	210887		
70173465090	CITI 140	EPA 200.8	210887		
70173465091	CITI 141	EPA 200.8	210887		
70173465092	CITI 142	EPA 200.8	210887		
70173465093	CITI 143	EPA 200.8	210887		
70173465094	CITI 146	EPA 200.8	210887		
70173465095	CITI 147	EPA 200.8	210887		
70173465096	CITI 148	EPA 200.8	210887		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70173465097	CITI 150	EPA 200.8	210887		
70173465098	CITI 151	EPA 200.8	210887		
70173465099	CITI 153	EPA 200.8	210887		
70173465100	CITI 155	EPA 200.8	210887		
70173465101	CITI 156	EPA 200.8	210888		
70173465102	CITI 158	EPA 200.8	210888		
70173465103	CITI 159	EPA 200.8	210888		
70173465104	CITI 161	EPA 200.8	210888		
70173465105	CITI 162	EPA 200.8	210888		
70173465106	CITI 163	EPA 200.8	210888		
70173465107	CITI 164	EPA 200.8	210888		
70173465108	CITI 165	EPA 200.8	210888		
70173465109	CITI 166	EPA 200.8	210888		
70173465110	CITI 167	EPA 200.8	210888		
70173465111	CITI 168	EPA 200.8	210888		
70173465112	CITI 169	EPA 200.8	210888		
70173465113	CITI 170	EPA 200.8	210888		
70173465114	CITI 171	EPA 200.8	210888		
70173465115	CITI 172	EPA 200.8	210888		
70173465116	CITI 173	EPA 200.8	210888		
70173465117	CITI 174	EPA 200.8	210888		
70173465118	CITI 175	EPA 200.8	210888		
70173465119	CITI 178	EPA 200.8	210888		
70173465120	CITI 179	EPA 200.8	210888		
70173465121	CITI 180	EPA 200.8	210889		
70173465122	CITI 181	EPA 200.8	210889		
70173465123	CITI 182	EPA 200.8	210889		
70173465124	CITI 184	EPA 200.8	210889		
70173465125	CITI 185	EPA 200.8	210889		
70173465126	CITI 186	EPA 200.8	210889		
70173465127	CITI 187	EPA 200.8	210889		
70173465128	CITI 189	EPA 200.8	210889		
70173465129	CITI 190	EPA 200.8	210889		
70173465130	CITI 191	EPA 200.8	210889		
70173465131	CITI 193	EPA 200.8	210889		
70173465132	CITI 194	EPA 200.8	210889		
70173465133	CITI 195	EPA 200.8	210889		
70173465134	CITI 200	EPA 200.8	210889		
70173465135	CITI 201	EPA 200.8	210889		
70173465136	CITI 202	EPA 200.8	210889		
70173465137	CITI 203	EPA 200.8	210889		
70173465138	CITI 204	EPA 200.8	210889		
70173465139	CITI 205	EPA 200.8	210889		
70173465140	CITI 206	EPA 200.8	210889		
70173465141	CITI 207	EPA 200.8	210890		
70173465142	CITI 208	EPA 200.8	210890		
70173465143	CITI 209	EPA 200.8	210890		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEAD SAMPLING-CITI 5/07

Pace Project No.: 70173465

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70173465144	CITI 210	EPA 200.8	210890		
70173465145	CITI 211	EPA 200.8	210890		
70173465146	CITI 212	EPA 200.8	210890		
70173465147	CITI 214	EPA 200.8	210890		
70173465148	CITI 215	EPA 200.8	210890		
70173465149	CITI 216	EPA 200.8	210890		
70173465150	CITI 217	EPA 200.8	210890		
70173465151	CITI 218	EPA 200.8	210890		
70173465152	CITI 219	EPA 200.8	210890		
70173465153	CITI 220	EPA 200.8	210890		
70173465154	CITI 221	EPA 200.8	210890		
70173465155	CITI 222	EPA 200.8	210890		
70173465156	CITI 223	EPA 200.8	210890		
70173465157	CITI 224	EPA 200.8	210890		
70173465158	CITI 225	EPA 200.8	210890		
70173465159	CITI 226	EPA 200.8	210890		
70173465160	CITI 227	EPA 200.8	210890		
70173465161	CITI 228	EPA 200.8	210892		
70173465162	CITI 229	EPA 200.8	210892		
70173465163	CITI 230	EPA 200.8	210892		
70173465164	CITI 231	EPA 200.8	210892		
70173465165	CITI 232	EPA 200.8	210892		
70173465166	CITI 233	EPA 200.8	210892		
70173465167	CITI 234	EPA 200.8	210892		
70173465168	CITI 235	EPA 200.8	210892		
70173465169	CITI 236	EPA 200.8	210892		
70173465170	CITI 237	EPA 200.8	210892		
70173465171	CITI 240	EPA 200.8	210892		
70173465172	CITI 241	EPA 200.8	210892		
70173465173	CITI 242	EPA 200.8	210892		
70173465174	CITI 243	EPA 200.8	210892		
70173465175	CITI 244	EPA 200.8	210892		
70173465176	CITI 245	EPA 200.8	210892		
70173465177	CITI 246	EPA 200.8	210892		
70173465178	CITI 247	EPA 200.8	210892		
70173465179	CITI 248	EPA 200.8	210892		
70173465180	CITI 249	EPA 200.8	210892		
70173465181	CITI 250	EPA 200.8	210893		
70173465182	CITI 251	EPA 200.8	210893		
70173465183	CITI 252	EPA 200.8	210893		
70173465184	CITI 253	EPA 200.8	210893		
70173465185	CITI 254	EPA 200.8	210893		
70173465186	CITI 255	EPA 200.8	210893		
70173465187	CITI 256	EPA 200.8	210893		
70173465188	CITI 257	EPA 200.8	210893		
70173465189	CITI 258	EPA 200.8	210893		
70173465190	CITI 259	EPA 200.8	210893		
70173465191	CITI 261	EPA 200.8	210893		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEAD SAMPLING-CITI 5/07  
Pace Project No.: 70173465

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70173465192	CITI 262	EPA 200.8	210893		
70173465193	CITI 263	EPA 200.8	210893		
70173465194	CITI 264	EPA 200.8	210893		
70173465195	CITI 265	EPA 200.8	210893		
70173465196	CITI 266	EPA 200.8	210893		
70173465197	CITI 267	EPA 200.8	210893		
70173465198	CITI 269	EPA 200.8	210893		
70173465199	CITI 270	EPA 200.8	210893		
70173465200	CITI 271	EPA 200.8	210893		
70173465201	CITI 272	EPA 200.8	210894		
70173465202	CITI 273	EPA 200.8	210894		
70173465203	CITI 274	EPA 200.8	210894		
70173465204	CITI 275	EPA 200.8	210894		
70173465205	CITI 276	EPA 200.8	210894		
70173465206	CITI 277	EPA 200.8	210894		
70173465207	CITI 278	EPA 200.8	210894		
70173465208	CITI 279	EPA 200.8	210894		
70173465209	CITI 280	EPA 200.8	210894		
70173465210	CITI 281	EPA 200.8	210894		
70173465211	CITI 282	EPA 200.8	210894		
70173465212	CITI 283	EPA 200.8	210894		
70173465213	CITI 192	EPA 200.8	210894		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**WO#: 70173465**  
  
**70173465**

**CHAIN-OF-CUSTODY / Analytical Request Document**

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section C**

**Required Client Information:**  
 Company: Citi BOCES  
 Address: 179 County Route 64  
 Mexico, NY 13114  
 Email: jralfowski@ciliboces.org  
 Phone: 315-602-6053  
 Requested Due Date:

**Required Project Information:**  
 Report To: John Ralfowski  
 Copy To:  
 Project Name: LEAD SAMPLING  
 Project #:

**Invoice Information:**  
 Attention:  
 Company Name:  
 Address:  
 Purchase Order #:  
 Pace Project Manager: belly.harrison@ppacalabs.com,  
 Pace Profile #: 8562 LINRE 1

**Regulatory Agency**  
**State / Location**  
 NY

ITEM #	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		DATE	TIME	DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	Ice (Y/N)	Custody Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)	
			START	END																	
1	Citi 4 (room next to girls)		05/07	1313																	
2	7 L			1307																	
3	8 LM			1328																	
4	9 LM			1309																	
5	10 R			1310																	
6	11 L			1301																	
7	12 LM			1302																	
8	13 LM			1303																	
9	14 R			1304																	
10	15			1305																	
11	16 L			1316																	
12	17 R			1317																	

**Requested Analysis Filtered (Y/N)**

Analyses Test: 2008

Preservatives: H2SO4, HNO3, HCl, NaOH, Na2S2O3, Methanol, Other

# OF CONTAINERS

SAMPLE TEMP AT COLLECTION

RELINQUISHED BY / AFFILIATION: [Signature]

DATE: 05/10/2021

TIME: 10:00

ACCEPTED BY / AFFILIATION: [Signature]

DATE: 05/10/2021

TIME: 10:00

SAMPLE CONDITIONS

Received on: 05/10/2021

Ice (Y/N)

Custody Sealed (Y/N)

Cooler (Y/N)

Samples Intact (Y/N)

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: Chris Turner  
 SIGNATURE of SAMPLER: [Signature]  
 DATE Signed: 05/10/2021

Box es + 2 Bags (8 samples) in each Bag



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>		<b>Section B</b>		<b>Section C</b>	
<b>Required Client Information:</b>		<b>Required Project Information:</b>		<b>Invoice Information:</b>	
Company: CITI/BOCES	Report To: John Rafilowski	Report To: John Rafilowski	Copy To:	Company Name:	Attention:
Address: 179 County Route 64 Mexico, NY 13114	Project Name: LEAD SAMPLING	Project Name: LEAD SAMPLING	Purchase Order #:	Address:	Company Name:
Email: jrafilowski@citibooces.org	Requested Due Date:	Matrix Code (see valid codes to left)	Project #:	Phone: 315-602-6053	State / Location: NY
Fax:		Sample Type (G-GRAB C-COMP)		Requested Analysis Filtered (Y/N)	Regulatory Agency:

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	TEMP in C	Sealed Cooler (Y/N)	Custody (Y/N)	Samples Intact (Y/N)	
			START	END															
1	Drinking Water	DW			6/17	0752													
2	Water	WT				0753													
3	Waste Water	WW				0755													
4	Product	P				0756													
5	Soil/Solid	SL				0757													
6	Oil	OL				0749													
7	Wipe	WP				0750													
8	Air	AR				0711													
9	Other	OT				0712													
10	Tissue	TS				0713													
11						0659													
12						0630													

<b>ADDITIONAL COMMENTS</b>												<b>SAMPLE CONDITIONS</b>	
y r pace 5/17/11 11:15 J. M. [Signature] 5/17/11 10:00 5/17/11 11:15												Received on (Y/N) Custody (Y/N) Sealed Cooler (Y/N) Samples Intact (Y/N)	
<b>SAMPLER NAME AND SIGNATURE</b>													
PRINT Name of SAMPLER:													
SIGNATURE of SAMPLER:													
DATE Signed:													





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	CIT BOGES	Report To:	John Rafiowski	Attention:	
Address:	179 County Route 64 Mexico, NY 13114	Copy To:		Company Name:	
Email:	irafowski@ciliboces.org	Purchase Order #:		Address:	
Phone:	315-602-6053	Project Name:	LEAD SAMPLING	Pace Project Manager:	betty.harrison@paceilabs.com,
Requested Due Date:		Project #:		Pace Profile #:	8562 LINRE 1
			Regulatory Agency		
			State / Location NY		

ITEM #	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL WP AR OT TS	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample ids must be unique	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		# OF CONTAINERS	Preservatives						Y/N	Requested Analysis: Filtered (Y/N)	Residual Chlorine (Y/N)	TEMP in C	Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)		
						START DATE	END DATE		Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3											Methanol	Other
						TIME	TIME		DATE	DATE	TIME	DATE	DATE	DATE											DATE	DATE
1			57			05/07	06:31																			
2			58				07:25																			
3			59				06:16																			
4			60				06:32																			
5			61				06:37																			
6			62				06:36																			
7			63				06:37																			
8			64				06:38																			
9			66				06:39																			
10			68				06:40																			
11			69				06:43																			
12			70				06:44																			
ADDITIONAL COMMENTS						RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS														

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	DATE Signed:
SIGNATURE of SAMPLER:	



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>		<b>Section B</b>		<b>Section C</b>	
<b>Required Client Information:</b>		<b>Required Project Information:</b>		<b>Invoice Information:</b>	
Company: GITI BOCES	Report To: John Rafilowski	Company Name:	Address:	Attention:	
Address: 179 County Route 64	Copy To:	Address:	Project Name: LEAD SAMPLING	Company Name:	
Mexico, NY 13114		Purchase Order #:	Project #:	Address:	
Email: jrafilowski@gitiboces.org		Purchase Order #:	Project #:	Project Manager: betty.harrison@pacelabs.com	
Phone: 315-602-6053	Fax:	Project Name: LEAD SAMPLING	Project #:	Pace Quote:	
Requested Due Date:		MATRIX CODE (see valid codes to left)	Project #:	Pace Project Manager:	
		SAMPLE TYPE (G=GRAB C=COMP)	Project #:	Pace Profile #:	8562 LINRE 1

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	DATE	TIME	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	DATE	TIME	TEMP in C	Received on	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)	
			START	END																		START
1	Drinking Water	DW	05/07	0624																		
2	Water	WT			0623																	
3	Waste Water	WW			0622																	
4	Product	P			0621																	
5	Soil/Solid	SL			0719																	
6	Oil	OL			0720																	
7	Wipe	WP			0716																	
8	Air	AR			0717																	
9	Other	OT			0719																	
10	Tissue	TS			0724																	
11					0725																	
12					0726																	

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	TEMP in C	Received on	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER:  
 SIGNATURE of SAMPLER:



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>	<b>Section B</b>	<b>Section C</b>
<b>Required Client Information:</b>	<b>Required Project Information:</b>	<b>Invoice Information:</b>
Company: CITI BOGES Address: 179 County Route 64 Mexico, NY 13114 Phone: irafowski@ciliboces.org Requested Due Date:	Report To: John Rafowski Copy To: Purchase Order #: Project Name: LEAD SAMPLING Project #:	Client: Company Name: Address: Pace Quote: Pace Project Manager: betty.harrison@pacelabs.com Pace Profile #: 8562 LINRE 1
		<b>Regulatory Agency</b>
		<b>State / Location</b> NY

ITEM #	MATRIX	MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION		# OF CONTAINERS	PRESERVATIVES								Analyses Test	Y/N	2008	Residual Chlorine (Y/N)					
				START	END	DATE	TIME		DATE	TIME	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3					Methanol	Other			
1	Drinking Water	DW																							
2	Water	WT																							
3	Waste Water	WW																							
4	Product	P																							
5	Soil/Solid	SL																							
6	Oil	OL																							
7	Wipe	WP																							
8	Air	AR																							
9	Other	OT																							
10	Tissue	TS																							
11	Drinking Water	DW																							
12	Water	WT																							

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	TEMP In C	Received on	Sealed	Cooler	Custody	Samples
Kitchen Sinks in C110 labeled												
marking tape/sample												
Custodian plus to map out												
later												



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	CITI BOCES	Report To:	John Rafilowski	Attention:	
Address:	179 County Route 64 Mexico, NY 13114	Copy To:		Company Name:	
Email:	jrafilowski@citi-boces.org	Purchase Order #:		Address:	
Phone:	315-602-6053	Project Name:	LEAD SAMPLING	Pace Project Manager:	betsy.harrison@pacelabs.com
Requested Due Date:		Project #:		Pace Profile #:	8562 LINRE 1
Regulatory Agency		State / Location		NY	

Page: 8 of 18

ITEM #	MATRIX	MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		DATE	TIME	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	TEMP in C	Samples Inlet (Y/N)	Sealed Cooler (Y/N)	Custody (Y/N)	
				START	END														
1	Drinking Water	DW		05/07	0859														
2	Water	WT			0900														
3	Waste Water	WW			0902														
4	Product	P			0903														
5	Soil/Solid	SL			0909														
6	Oil	OL			0910														
7	Wipe	WP			0912														
8	Air	AR			0913														
9	Other	OT			0914														
10	Tissue	TS			0915														
11					0917														
12					0919														

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	
103 - Single near Exit (Pipes)									
104 - Single near Exit									
105 - Single near Exit									
106 - Single near Exit									
107 - Single near Exit									
108 - Single near Exit									
109 - Single near Exit									
110 - Single near Exit									
SAMPLER NAME AND SIGNATURE		DATE SIGNED		DATE SIGNED		DATE SIGNED		DATE SIGNED	
[Signature]		05/17/11 11:15		[Signature]		05/17/11 11:15		[Signature]	







# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A  
 Required Client Information: Company: Citi BOCES  
 Address: 179 County Route 64 Mexico, NY 13114  
 Email: jraflowski@citiboces.org  
 Phone: 315-602-6053  
 Requested Due Date:

Section B  
 Required Project Information: Report To: John Raflowski  
 Copy To:  
 Purchase Order #:  
 Project Name: LEAD SAMPLING  
 Project #:

Section C  
 Invoice Information: Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: betty.harrison@pacelabs.com,  
 Pace Profile #: 8562 LINRE 1  
 Regulatory Agency:  
 State / Location: NY

Page: 9 of 18

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	Temp in C	Custody	Sealed	Cooler	Samples Intact (Y/N)	
			START	END																
1	Drinking Water	DW	05/07	0942																
2	Water	WT		0943																
3	Waste Water	WW		0954																
4	Product	P		0959																
5	Self-Solid	SS		1000																
6	Oil	OL		0936																
7	Wipe	WP		0937																
8	Air	AR		1031																
9	Other	OT		1032																
10	Tissue	TS		1034																
11				1036																
12				1037																

Additional Comments: [Handwritten notes and signatures]

DATE Signed: [Handwritten date]

SIGNATURE of SAMPLER: [Handwritten signature]

PRINT Name of SAMPLER: [Handwritten name]

SIGNATURE of SAMPLER: [Handwritten signature]

DATE Signed: [Handwritten date]



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
**Required Client Information:**  
 Company: CITI BOCES  
 Address: 179 County Route 64  
 Mexico, NY 13114  
 Email: jratlowski@ciliboces.org  
 Phone: 315-602-6053  
 Requested Due Date: \_\_\_\_\_

**Section B**  
**Required Project Information:**  
 Report To: John Ratlowski  
 Copy To: \_\_\_\_\_  
 Purchase Order #: \_\_\_\_\_  
 Project Name: LEAD SAMPLING  
 Project #: \_\_\_\_\_

**Section C**  
**Invoice Information:**  
 Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote: \_\_\_\_\_  
 Pace Project Manager: betty.harrison@pacelabs.com  
 Pace Profile #: 8562 LINRE 1

**Regulatory Agency:** \_\_\_\_\_  
**State / Location:** NY

ITEM #	MATRIX Drinking Water Water Waste Water Product Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	Preservatives					Analyses Test Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)
			START DATE	END DATE				H2SO4	HNO3	HCl	NaOH	Na2S2O3			
1	CITI 166		05/07 1038												
2	167		1044												
3	168		1040												
4	169 L		1078												
5	170 R		1044												
6	171		1056												
7	172		1055												
8	173		1056												
9	174		1110												
10	175		1114												
11	177		1100												
12	179		1108												

**ADDITIONAL COMMENTS:** \_\_\_\_\_

**RELINQUISHED BY / AFFILIATION:** \_\_\_\_\_

**DATE:** 5-17-21 11:15

**ACCEPTED BY / AFFILIATION:** *[Signature]*

**DATE:** 5/17/21 11:15

**SAMPLE CONDITIONS:**

Received on \_\_\_\_\_

Ice (Y/N) \_\_\_\_\_

Sealed (Y/N) \_\_\_\_\_

Cooler (Y/N) \_\_\_\_\_

Samples (Y/N) \_\_\_\_\_

Infect (Y/N) \_\_\_\_\_

**SAMPLER NAME AND SIGNATURE:** \_\_\_\_\_

**PRINT Name of SAMPLER:** \_\_\_\_\_

**SIGNATURE of SAMPLER:** \_\_\_\_\_

**DATE Signed:** \_\_\_\_\_





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
**Required Client Information:**  
 Company: CTTI BOCES  
 Address: 179 County Route 64  
 Mexico, NY 13114  
 Email: jrafowski@ciliboces.org  
 Phone: 315-602-6053 Fax:  
 Requested Due Date:

**Section B**  
**Required Project Information:**  
 Report To: John Rafowski  
 Copy To:  
 Purchase Order #:  
 Project Name: LEAD SAMPLING  
 Project #:

**Section C**  
**Invoice Information:**  
 Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: bely,harrison@pacelabs.com,  
 Pace Profile #: 8562 LINRE 1

Regulatory Agency  
 State / Location  
 NY

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	TEMP in C
			START	END													
1	Drinking Water	DW	05/07	11:27													
2	Water	W		11:26													
3	Waste Water	WW		11:24													
4	Product	P		11:20													
5	Soil/Solid	SL		11:47													
6	Oil	OL		11:44													
7	Wipe	WP		11:36													
8	Air	AR		11:34													
9	Other	OT		11:30													
10	Tissue	TS		11:29													
11				11:53													
12				11:52													

**ADDITIONAL COMMENTS:**  
 (B rest room)  
 jrf  
 DATE 5/7/21 11:15  
 SIGNATURE [Signature]  
 DATE SIGNED 5/14/21 10:00  
 SIGNATURE [Signature]  
 DATE SIGNED 5/17/21 11:15

**Requested Analysis Filtered (Y/N)**  
 Y/N  
**Analyses Test**  
 Other  
 Methanol  
 Na2S2O3  
 NaOH  
 HCl  
 HNO3  
 H2SO4  
 Unpreserved  
 # OF CONTAINERS  
 SAMPLE TEMP AT COLLECTION  
 Residual Chlorine (Y/N)



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>		<b>Section B</b>		<b>Section C</b>	
<b>Required Client Information:</b>		<b>Required Project Information:</b>		<b>Invoice Information:</b>	
Company: Citi BOCES	Report To: John Rafilowski	Company Name:	Attention:	Page: 12 Of 18	
Address: 179 County Route 64 Mexico, NY 13114	Copy To:	Address:	Company Name:	Regulatory Agency	
Email: jrafilowski@citi boces.org	Purchase Order #:	Project Name: LEAD SAMPLING	Pace Quote:	State / Location NY	
Phone: 315-602-6033	Project #:	Pace Project Manager: betty.harrison@pacelabs.com,	Pace Profile #:	Requested Analysis Filtered (Y/N)	
Requested Due Date:					

ITEM #	MATRIX	MATRIX CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Analyses Test Y/N	200.8	Residual Chlorine (Y/N)
			START DATE	END DATE				H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other			
1	Citi 195 (Conference)		05/07/15	15:16													
2	200		0934														
3	201		0945														
4	202		0952														
5	203		1001														
6	204		0534														
7	205		0547														
8	206		0600														
9	207		0811														
10	208		0826														
11	209		1224														
12	210		1225														

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>[Signature]</i>	5/7/15	11:15	<i>[Signature]</i>	5/14/15	10:00	Received on ice (Y/N) Custody (Y/N) Sealed (Y/N) Cooler (Y/N) Samples Intact (Y/N)
<i>[Signature]</i>	5/11/15	11:15	<i>[Signature]</i>	5/14/15	10:00	





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>		<b>Section B</b>		<b>Section C</b>	
<b>Required Client Information:</b>		<b>Required Project Information:</b>		<b>Invoice Information:</b>	
Company: CITI BOCES	Report To: John Ralfowski	Attention:	Company Name:	Address:	Regulatory Agency
Address: 179 County Route 64 Mexico, NY 13114	Copy To:	Company Name:	Address:	Project Name: LEAD SAMPLING	State / Location
Email: jralfowski@citicoces.org	Purchase Order #:	Project Name:	Project #:	Pace Project Manager: betty.harrison@pacelabs.com,	NY
Phone: 315-602-6053	Fax:	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	Pace Profile #: 8562 LINRE 1	
Requested Due Date:					

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Y/N	Analyses Test	Residual Chlorine (Y/N)
			START	END					Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol			
1	224 - C10 - Girls next to E145	2	05/07	0602	0602													
2	225 - DF next to E145	2	0615	0615														
3	226 - C100 Servis Line	2	0616															
4	227 - KENTRE	2	0617															
5	228 - F160	2	0622															
6	229 - GN across from A125	2	0623															
7	230 - Girls next to A125	2	0624															
8	231 - Boys	1	0625															
9	232 - DF	2	0627															
10	233 - V-GN Back Between E100/105	2	0704															
11																		
12																		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	RECEIVED ON	TEMP in C	Samples Intact (Y/N)	Cooler (Y/N)	Sealed (Y/N)	Custody (Y/N)
Exec	[Signature]	5/17/21	11:15	[Signature]	5/14/21	10:00						



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>	<b>Section B</b>	<b>Section C</b>
<b>Required Client Information:</b> Company: CITI BOCES Address: 179 County Route 64 Mexico, NY 13114 Email: jraflowski@citi boces.org Phone: 315-602-6053 Requested Due Date:	<b>Required Project Information:</b> Report To: John Raflowski Copy To: Purchase Order #: LEAD SAMPLING Project Name: Project #:	<b>Invoice Information:</b> Attention: Company Name: Address: Pace Quote: Pace Project Manager: betty.harrison@pacelabs.com, Pace Profile #: 8562 LINRE 1 Regulatory Agency: State / Location: NY

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	DATE	TIME	TEMP in C	Received on	Ice	(Y/N)	Sealed	Custody	Cooler	(Y/N)	Samples	Intact	(Y/N)	
			START	END																					DATE
1	CH1236-C100 - GN A100 L-qt	Drinking Water			05/09	0707																			
2	237 - ↓ - Right	Water				0708																			
3	240 - B100 G-N Boys	Waste Water				0720																			
4	241 - B110 G-N Boys	Water				0727																			
5	242 - D125 (nurse office)	Product				0744																			
6	243 - G130 G-N Boys Left	Soil/Solid				0802																			
7	244 - ↓ - Right	Oil				0903																			
8	245 - G140 Left	Wipe				0810																			
9	246 - ↓ - Right	Air				0811																			
10	247 - G155 Left	Other				1085																			
11	248 - ↓ - Boys next to E1451	Tissue				0816																			
12	249 - ↓ - Boys next to E1451					0822																			

<b>ADDITIONAL COMMENTS</b> RELINQUISHED BY / AFFILIATION: <i>[Signature]</i> PAGE DATE: 5-17-11 11:55 TIME: 10:00 ACCEPTED BY / AFFILIATION: <i>[Signature]</i> PAGE DATE: 5/17/21 10:00 TIME: 11:15	<b>SAMPLER NAME AND SIGNATURE</b> PRINT Name of SAMPLER: SIGNATURE of SAMPLER:	DATE Signed:
--	--	--------------



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
**Required Client Information:**  
 Company: CITI/BOCES  
 Address: 179 County Route 64  
 Mexico, NY 13114  
 Email: jralfowski@citi-boces.org  
 Phone: 315-602-6053  
 Fax: [ ]  
 Requested Due Date: [ ]

**Section B**  
**Required Project Information:**  
 Report To: John Rafilowski  
 Copy To: [ ]  
 Purchase Order #: [ ]  
 Project Name: LEAD SAMPLING  
 Project #: [ ]

**Section C**  
**Invoice Information:**  
 Attention: [ ]  
 Company Name: [ ]  
 Address: [ ]  
 Pace Quote: [ ]  
 Pace Project Manager: bety.harrison@pacelabs.com  
 Pace Profile #: 8562 LINRE 1

**Regulatory Agency**  
 State / Location  
 NY

ITEM #	MATRIX	CODE	SAMPLE ID	COLLECTED		DATE	TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analyses Test	Y/N	Requested Analysis Filtered (Y/N)	TEMP in C	Received on	Sealed	Cooler	Samples Intact
				START	END													
1	Drinking Water	DW	251-1-DF	05/07	08:30	08:30				Unpreserved								
2	Waste Water	WW	252-1-G165 GN BAK Left	08/27		08:27				HCl								
3	Product	P	253-1-DF	08/28		08:28				HNO3								
4	Soil/Solid	SL	254-1-DF	08/28		08:28				H2SO4								
5	Wipe	WP	255 C115-Wipes	10/04		10:04				Unpreserved								
6	Air	AR	256-1-DF	10/10		10:10				Unpreserved								
7	Other	OT	257-1-DF	10/11		10:11				Unpreserved								
8	Tissue	TS	258-1-DF	10/13		10:13				Unpreserved								
9	Drinking Water	DW	259-1-DF	10/15		10:15				Unpreserved								
10	Waste Water	WW	260-1-DF	10/15		10:15				Unpreserved								
11	Product	P	261-1-DF	10/15		10:15				Unpreserved								
12	Soil/Solid	SL	262-1-DF	10/15		10:15				Unpreserved								

**ADDITIONAL COMMENTS**

RELINQUISHED BY / AFFILIATION: [ ] DATE: 5/17/21 TIME: 11:15

ACCEPTED BY / AFFILIATION: [ ] DATE: 5/17/21 TIME: 10:00

SAMPLER NAME AND SIGNATURE: [Signature] DATE Signed: 5/17/21

PRINT Name of SAMPLER: [ ]

SIGNATURE of SAMPLER: [Signature] DATE Signed: [ ]



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
**Required Client Information:**  
 Company: CITI BOCES  
 Address: 179 County Route 64  
 Mexico, NY 13114  
 Email: jraffowski@ciboces.org  
 Phone: 315-602-6053 Fax:  
 Requested Due Date:

**Section B**  
**Required Project Information:**  
 Report To: John Raffowski  
 Copy To:  
 Purchase Order #:  
 Project Name: LEAD SAMPLING  
 Project #:

**Section C**  
**Invoice Information:**  
 Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: bely.harrison@pacelabs.com  
 Pace Profile #: 8562 LINRE 1

**Regulatory Agency**  
**State / Location**  
 NY

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G-GRAB C-COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	Preservatives			Analytes Test	Y/N	Requested Analysis Filtered (Y/N)
			START	END				H2SO4	HNO3	HCl			
DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
1	CX1262-SIKS - mess that next to 6064R	DW	10/17	10/16									
2	263 - GN across from 108 L	WW		10/17									
3	264 - b v b B	P		10/18									
4	265 - 168 Custodian	SL		10/19									
5	266 - DF next to 609 L	OL		10/21									
6	267 - b v b K	WP		10/22									
7	269 - NS10 (100) - Bradley	AR		11/07									
8	270 - NS20 (recving) Custodian	OT		11/14									
9	271 - E220 - Km 138 ICE	TS		11/31									
10	272 - DF next to 122			1/90									
11	273 - Km 122 Class sink			1/141									
12	274 - E230 - offic, kindergarten			1/158									

RELIQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
[Signature]	5/17/11	11:15	[Signature]	5/17/11	11:15	

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER:  
 SIGNATURE of SAMPLER:  
 DATE Signed:







# Sample Condition Upon Receipt

Client Name: Citi Boxes

Project # \_\_\_\_\_

**WO#: 70173465**

PH: EMH

Due Date: 06/01/21

CLIENT: CITI

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other

Thermometer Used: TH091 Correction Factor: +0.0

Cooler Temperature(°C): 22.4 Cooler Temperature Corrected(°C): 22.4

Temp should be above freezing to 6.0°C

USDA Regulated Soil (  N/A, water sample)

Date and Initials of person examining contents: MS/18/21

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No

Did samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. <u>Bottle received for Citi 192 not on COC logged off bottle</u>
-Includes date/time/ID, Matrix: <u>SL (W) OIL</u>		
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>HCO41002</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sulfide?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Lead Acetate Strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable): _____		

Client Notification/ Resolution: \_\_\_\_\_

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_